**To:** Gundersen, Jennifer[Gundersen.Jennifer@epa.gov]

From: Caporale, Cynthia

**Sent:** Wed 1/22/2014 9:03:25 PM

Subject: RE: Update on amount of PPH in the MCHM spill

Jennie,

Would you be willing to prepare a factsheet so we have all of the information in one spot?

I'm thinking a sheet that lists the two mixtures, their contents and CAS numbers and anything else you think would be helpful without us having to look at MSDS sheets/web.

Cindy

From: Gundersen, Jennifer

Sent: Wednesday, January 22, 2014 4:01 PM

To: Caporale, Cynthia; Graybill, Eric; Molnar, Adam; Poff, Kevin; Warner, Sue; Zawodny, Peggy

Subject: RE: Update on amount of PPH in the MCHM spill

It was also reported in the news today. Ch 8 in DC

From: Caporale, Cynthia

Sent: Wednesday, January 22, 2014 3:52 PM

To: Graybill, Eric; Gundersen, Jennifer; Molnar, Adam; Poff, Kevin; Warner, Sue; Zawodny, Peggy

Subject: FW: Update on amount of PPH in the MCHM spill

**FYI** 

From: Kelly, Jack (R3 Phila.)

Sent: Wednesday, January 22, 2014 3:51 PM

To: Werner, Lora; Markiewicz, Karl; Gilbert, John; Singhvi, Raj; Caporale, Cynthia; Smith, Art; Larry F Cseh;

kathleen patnode@fws.gov; Ioven, Dawn

Subject: FW: Update on amount of PPH in the MCHM spill Jack Kelly On Scene Coordinator EPA Region III, Philadelphia 215-514-6792 (cell) 215-814-3112 (office) From: Burns, Francis Sent: Wednesday, January 22, 2014 3:48 PM To: Garvin, Shawn; Hodgkiss, Kathy; Melvin, Karen; Armstrong, Joan; Capacasa, Jon; Wisniewski, Patti-Kay; Arguto, William; binetti, victoria; duteau, helen; Jarvela, Steve; Kelly, Jack (R3 Phila.) Subject: FW: Update on amount of PPH in the MCHM spill FYI From: Linden, melissa Sent: Wednesday, January 22, 2014 3:40 PM To: Burns, Francis Cc: Caporale, Cynthia; Werner, Lora Subject: Update on amount of PPH in the MCHM spill

Hi Fran,

The Freedom Industries President just told Mike Dorsey that there is 7.3% PPH instead of the reported 5.6% given yesterday.

So the contents of tank 396 is 88.5% crude MCHM, 7.3% PPH, and 4.2% water (percent by weight, not volume as previously stated) reported as a requirement of the WV DEP Order issued this morning to the facility.
Thanks,
Melissa